

297452C



Aluminium Telescopic  
waterfed Handle with on/off  
Click Coupling (C), 1060 -  
1600 mm, Ø32 mm, Black



This professional telescopic water-fed handle (1060–1600 mm) has an insulated

sleeve for a comfortable grip, an on/off 1/2" click-fit coupling, compatible with Hozelock, Gardena and Nito Click. Maximum water pressure, 6 bars.

# Technical Data

<b>Item Number</b>	297452C
<b>Material</b>	Anodised Aluminium Polypropylene Chromium-plated brass
<b>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></b>	No
<b>Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice</b>	Yes
<b>FDA compliant raw material (CFR 21)</b>	No
<b>Complies with UK 2019 No. 704 on food contact materials</b>	No
<b>Meets the REACH Regulation (EC) No. 1907/2006</b>	Yes **
<b>California Proposition 65 Compliant</b>	No
<b>SCIP number</b>	e49c50b5-7653-429c- b8f3-803d37b5fetc
<b>Use of phthalates and bisphenol A</b>	No
<b>Is Halal and Kosher compliant</b>	Yes
<b>Box Quantity</b>	5 Pcs.
<b>Quantity per Pallet (80 x 120 x 180-200 cm)</b>	580 Pcs
<b>Quantity Per Layer (Pallet)</b>	1 Pcs.
<b>Product Diameter</b>	32 mm
<b>Length</b>	1060 mm
<b>Width</b>	32 mm
<b>Height</b>	32 mm
<b>Max. Length</b>	1600 mm
<b>Net Weight</b>	0.64 kg
<b>Weight cardboard (Recycling symbol "20" PAP)</b>	0.09 kg
<b>Tare total</b>	0.09 kg
<b>Gross Weight</b>	0.73 kg
<b>Cubik metre</b>	0.001085 M3
<b>Max. bars pressure</b>	6 Bar
<b>Max usage temperature (non food contact)</b>	50 °C
<b>Gtin-13 Number</b>	5705022030503
<b>GTIN-14 Number (Box quantity)</b>	15705028030498
<b>Customs Tariff No.</b>	76169990
<b>Country of origin</b>	Denmark

\*\* Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.