

2977Q



Fibre Glass Telescopic
Handle only for
Condensation Squeegee
7716x (Q), 1880 - 6000 mm
Ø34 mm, Grey



Ideal for removing condensation from ceilings in pipes, this telescopic fibreglass handle is used with the condensation squeegee (7716). Cannot be used as a waterfed handle.

Technical Data

Item Number	2977Q
Material	Fibreglass Polypropylene Chromium-plated brass
Complies with (EC) 1935/2004 on food contact materials ¹	No
Complies with UK 2019 No. 704 on food contact materials	No
Complies with REACH Regulation (EC) No. 1907/2006	Yes **
SCIP number	e49c50b5-7653-429c-b8f3-803d37b5fefc
Complies with California Proposition 65	No
Complies with Halal and Kosher	Yes
Phthalates and bisphenol A intentionally added	No
Box Quantity	1 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	99 Pcs
Quantity Per Layer (Pallet)	11 Pcs.
Product Diameter	34 mm
Length	1880 mm
Width	34 mm
Height	34 mm
Max. Length	6000 mm
Net Weight	1.84 kg
Weight cardboard (Recycling symbol "20" PAP)	0.255 kg
Tare total	0.255 kg
Gross Weight	2.1 kg
Cubic metre	0.002173 M3
Recommended sterilisation temperature (Autoclave)	100 °C
Max usage temperature (non food contact)	80 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020297748
GTIN-14 Number (Box quantity)	5705020297748
Customs Tariff No.	96039099
Country of origin	Finland

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is

registered in the EU SCIP database. Please find SCIP number above.

3. Do not store the product below 0° Celsius.