

9340



SafeOne, Back Flow Prevention w/Hose Nozzle, 1/2"w/Hose Nozzle



For use with foam sprayers 9303x and, 9305x as protection against chemical backflow into the water supply system.
To be mounted directly on the water tap.

Technical Data

Item Number	9340
Couplings Size	1/2 "
Approval	
Material	Chromium-plated brass
Complies with REACH Regulation (EC) No. 1907/2006	Yes **
Complies with California Proposition 65	No
SCIP number	e0168018-f69a-4efe-99c9-e829c26a9d63
Complies with Halal and Kosher	Yes
Phthalates and bisphenol A intentionally added	No
Box Quantity	8 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	4104 Pcs
Quantity Per Layer (Pallet)	1 Pcs.
Box Length	250 mm
Box Width	175 mm
Box Height	70 mm
Length	135 mm
Width	30 mm
Height	30 mm
Net Weight	0.43 kg
Weight cardboard (Recycling symbol "20" PAP)	0.0125 kg
Tare total	0.0125 kg
Gross Weight	0.44 kg
Cubic metre	0.000121 M3
Recommended sterilisation temperature (Autoclave)	60 °C
Max. cleaning temperature (Dishwasher)	60 °C
Max usage temperature (non food contact)	60 °C
Min. usage temperature ³	5 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	11 pH
Min. Bars pressure	10 Bar
Max. bars pressure	25 Bar
Gtin-13 Number	5705020093401
GTIN-14 Number (Box quantity)	15705020093408
Customs Tariff No.	84818099
Country of origin	Denmark

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern

(SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.