93033

## Foam sprayer, incl. jet spray, 1/2"(Q), 2.5 Litre, Blue





Easily tackle large-scale cleaning tasks with the Foaming Set. Whether you're cleaning walls in a food processing environment or washing the floors in showers, fitness studios, pools, or more, the Foaming Set gets the job done with a constant chemical dosage (0.4-10%, depending on manufacturer's recommendations). It can handle 8 bars of pressure and has an ergonomic grip that won't slip, even when wet.

Each version comes in 5 colours and has a set of 15 colour-coded nozzles for different chemical concentrations.

Never allow chemicals directly through the foaming gun.

## **Technical Data**

Couplings Size1/2 "Content2.5 LitreMaterialBrass Orgalloy Polyamide Polyethylene (HDPE)Complies with (EC) 1935/2004 on food contact materials"NoComplies with UX 2019 No. 704 on food contact materialsNoComplies with California Proposition 65NoSCIP numbere0168018-f63a-466- 993C9-e629c26a3d63Complies with Halal and KosherYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)80 Pcs.Quantity Per Layer (Pallet)0 Pcs.Box Length290 nmBox Klefth210 nmBox Height210 nmBox Height1.51 kgWidth285 nmBox Height1.51 kgWidth285 nmBox Height1.51 kgWeight1.51 kgWeight1.8 kgCubic metre0.017356M3Max. cleaning temperature (Dishwasher)50 °CMax. usage temperatures5 °CMin. Bars pressure2 BarMax. bars pressure2 BarMax. bars pressure8 BarClin-1 or originTaiwanChury of originTaiwan	Item Number	93033
Material     Brass Orgalloy Polyamide Polyethylene (HDPE)       Complies with (EC) 1935/2004 on food contact materials     No       Complies with UX 2019 No. 704 on food contact materials     No       Complies with REACH Regulation (EC) No. 1907/2006     Yes**       Complies with California Proposition 65     No       SCIP number     e0168018-f69a-4efe- 99c9-e629c2ea0d63       Complies with Halal and Kosher     Yes       Box Quantity     1 Pcs.       Quantity Per Layer (Pallet)     0 Pcs.       Box Length     290 mm       Box Viidth     285 mm       Box Height     210 mm       Vidth     285 mm       Height     210 mm       Vidth     285 mm       Height     210 mm       Net Weight     1.51 kg       Weight cardboard (Recycling symbol "20" PAP)     0.287 kg       Tare total     0.287 kg       Gross Weight     1.8 kg       Cubic metre     0.017356 M3       Max. cleaning temperature (Dishwasher)     50 °C       Min. usage temperatures     5 °C       Min. usage temperature     2 Bar	Couplings Size	1/2 "
Polyamide Polyethylene (HDPE)       Complies with (EC) 1935/2004 on food contact materials     No       Complies with UK 2019 No. 704 on food contact materials     No       Complies with REACH Regulation (EC) No. 1907/2006     Yes **       Complies with California Proposition 65     No       SCIP number     e0168018-f69a-4efe- 99c9-e829c26a9d63       Complies with Halal and Kosher     Yes       Box Quantity     1 Pcs.       Quantity per Pallet (80 x 120 x 180-200 cm)     80 Pcs       Quantity Per Layer (Pallet)     0 Pcs.       Box Length     290 mm       Box Width     285 mm       Box Height     210 mm       Length     290 mm       Width     285 mm       Box Height     1.51 kg       Vidth     285 mm       Net Weight     1.51 kg       Veight cardboard (Recycling symbol "20" PAP)     0.287 kg       Gross Weight     1.8 kg       Cubic metre     0.017356 M3       Max. cleaning temperature (Dishwasher)     50 °C       Min. usage temperature (Dishwasher)     60 °C       Min. usage temperature 3     5 °C  <	Content	2.5 Litre
Complies with UK 2019 No. 704 on food contact materialsNoComplies with REACH Regulation (EC) No. 1907/2006Yes **Complies with California Proposition 65NoSCIP numbere0168018-f69a-4efe- 99c9-e829c26a9d63Complies with Halal and KosherYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Box Length290 mmBox Width285 mmBox Height210 mmLength290 mmWidth285 mmBox Height210 mmLength290 mmWidth285 mmBox Kildh285 mmBox Length210 mmLength290 mmWidth285 mmHeight1.51 kgWeight cardboard (Recycling symbol "20" PAP)0.287 kgTare total0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMin. usage temperature (IDishwasher)50 °CMin. usage temperature (Dishwasher)2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure8 BarGTIN-13 Number570502039902Customs Tariff No.84818099	Material	Polyamide Polyethylene
Complies with REACH Regulation (EC) No. 1907/2006Yes **Complies with California Proposition 65NoSCIP numbere0168018-f69a-4efe- 99c9-e829c26a9d63Complies with Halal and KosherYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)80 PcsQuantity Per Layer (Pallet)0 Pcs.Box Length290 mmBox Width285 mmBox Height210 mmLength290 mmWidth285 mmBox Height210 mmLength290 mmWidth285 mmBox Height210 mmLength290 mmWidth285 mmHeight1.51 kgWeight cardboard (Recycling symbol "20" PAP)0.287 kgTare total0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (IDishwasher)50 °CMin. usage temperature (Dishwasher)2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number570502203902Customs Tariff No.84818099	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	No
Complies with California Proposition 65NoSCIP numbere0168018-f69a-4efe- 99c9-e829c26a9d63Complies with Halal and KosherYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)80 PcsQuantity Per Layer (Pallet)0 Pcs.Box Length290 mmBox Width285 mmBox Height210 mmLength290 mmWidth285 mmBox Height210 mmLength200 mmWidth1.51 kgWeight1.51 kgWeight0.287 kgTare total0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (Dishwasher)50 °CMin. usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Complies with UK 2019 No. 704 on food contact materials	No
SCIP numbere0168018-f69a-4efe- 99c9-e829c26a9d63Complies with Halal and KosherYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)80 PcsQuantity Per Layer (Pallet)0 Pcs.Box Length290 mmBox Width285 mmBox Height210 mmLength290 mmWidth285 mmHeight210 mmVidth285 mmHeight1.51 kgWeight cardboard (Recycling symbol "20" PAP)0.287 kgTare total0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMax usage temperature 35 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Complies with REACH Regulation (EC) No. 1907/2006	Yes **
99c9-e829c26a9d63Complies with Halal and KosherYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)80 PcsQuantity Per Layer (Pallet)0 Pcs.Box Length290 mmBox Width285 mmBox Height210 mmLength290 mmWidth285 mmBox Height210 mmLength290 mmWidth285 mmBox Height210 mmLength200 mmWidth285 mmGross Weight1.51 kgWeight cardboard (Recycling symbol "20" PAP)0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMin. usage temperature (non food contact)60 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number570502203902Customs Tariff No.84818099	Complies with California Proposition 65	No
Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)80 PcsQuantity Per Layer (Pallet)0 Pcs.Box Length290 mmBox Width285 mmBox Height210 mmLength290 mmWidth285 mmBox Height210 mmLength290 mmWidth285 mmHeight210 mmVidth285 mmHeight210 mmNet Weight1.51 kgWeight cardboard (Recycling symbol "20" PAP)0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMin. usage temperature (non food contact)60 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	SCIP number	
Quantity per Pallet (80 x 120 x 180-200 cm)80 PcsQuantity Per Layer (Pallet)0 Pcs.Box Length290 mmBox Width285 mmBox Height210 mmLength290 mmWidth285 mmBox Height210 mmLength290 mmWidth285 mmHeight210 mmVidth285 mmHeight210 mmVidth285 mmHeight0.287 kgTare total0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMin. usage temperature (non food contact)60 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Complies with Halal and Kosher	Yes
Quantity Per Layer (Pallet)0 Pcs.Box Length290 mmBox Width285 mmBox Height210 mmLength290 mmWidth285 mmHeight210 mmNet Weight1.51 kgWeight cardboard (Recycling symbol "20" PAP)0.287 kgTare total0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (Dishwasher)50 °CMin. usage temperature (Dishwasher)2 pHMax. pH-value in usage concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Box Quantity	1 Pcs.
Box Length290 mmBox Width285 mmBox Height210 mmLength290 mmWidth285 mmHeight210 mmNet Weight1.51 kgWeight cardboard (Recycling symbol "20" PAP)0.287 kgTare total0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (non food contact)60 °CMin. usage temperature (non food contact)2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Quantity per Pallet (80 x 120 x 180-200 cm)	80 Pcs
Box Width285 mmBox Height210 mmLength290 mmWidth285 mmHeight210 mmNet Weight1.51 kgWeight cardboard (Recycling symbol "20" PAP)0.287 kgTare total0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMin. usage temperature (non food contact)60 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Quantity Per Layer (Pallet)	0 Pcs.
Box Height210 mmLength290 mmWidth285 mmHeight210 mmNet Weight1.51 kgWeight cardboard (Recycling symbol "20" PAP)0.287 kgTare total0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (non food contact)60 °CMin. usage temperature35 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Box Length	290 mm
Length290 mmWidth285 mmHeight210 mmNet Weight1.51 kgWeight cardboard (Recycling symbol "20" PAP)0.287 kgTare total0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (non food contact)60 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039002Customs Tariff No.84818099	Box Width	285 mm
Vidth285 mmHeight210 mmNet Weight1.51 kgWeight cardboard (Recycling symbol "20" PAP)0.287 kgTare total0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (non food contact)60 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Box Height	210 mm
Height210 mmNet Weight1.51 kgWeight cardboard (Recycling symbol "20" PAP)0.287 kgTare total0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (non food contact)60 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Length	290 mm
Net Weight1.51 kgWeight cardboard (Recycling symbol "20" PAP)0.287 kgTare total0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (non food contact)60 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Width	285 mm
Weight cardboard (Recycling symbol "20" PAP)0.287 kgTare total0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (non food contact)60 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039002Customs Tariff No.84818099	Height	210 mm
Tare total0.287 kgGross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (non food contact)60 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Net Weight	1.51 kg
Gross Weight1.8 kgCubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (non food contact)60 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Weight cardboard (Recycling symbol "20" PAP)	0.287 kg
Cubic metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (non food contact)60 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Tare total	0.287 kg
Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (non food contact)60 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Gross Weight	1.8 kg
Max usage temperature (non food contact)60 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Cubic metre	0.017356 M3
Min. usage temperature35 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Max. cleaning temperature (Dishwasher)	50 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Max usage temperature (non food contact)	60 °C
Max. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Min. usage temperature <sup>3</sup>	5 °C
Min. Bars pressure2 BarMax. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Min. pH-value in usage concentration	2 pH
Max. bars pressure8 BarGTIN-13 Number5705022039902Customs Tariff No.84818099	Max. pH-value in Usage Concentration	11 pH
GTIN-13 Number     5705022039902       Customs Tariff No.     84818099	Min. Bars pressure	2 Bar
Customs Tariff No. 84818099	Max. bars pressure	8 Bar
	GTIN-13 Number	5705022039902
Country of origin Taiwan	Customs Tariff No.	84818099
	Country of origin	Taiwan

When the foam application is finalized, it is important to rinse the injector with clean water to avoid blocking of the nozzle. Screw the injector of the container and let it suck clean water through the suction hose to enable hose, filter and nozzle to be rinsed for chemicals.

\*\* Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.