## UST Detail Brush, 30 mm, Soft, Blue







The UST Detail Brush is designed for detail cleaning in dry environments where soft bristles are useful and hygiene is critical, such as when allergens are a risk. Also useful as a pastry or glazing brush in food handling applications, this brush delivers all the advanced benefits of Vikan's other Ultra Safe Technology (UST) cleaning tools.

## **Technical Data**

Bristle stiffness         Soft           Visible bristle length         57 mm           Material         Polypropylene Polyester (PBT)           Recycling Symbol "7", Miscellaneous Plastics         Yes           Complies with (EC) 1935/2004 on food contact materials'         Yes           Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Complies with FDA Regulation (FR 21'         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with Halal and Kosher         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 002189654-0001           Pat. Pending/Patent No.         EU 202189654-0001           Pat. Pending/Patent No.         EU 202189654-0001           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         4800 Pcs.           Quantity Per Layer (Pallet)         240 Pcs.           Box Length         260 mm           Box Width         150 mm           Box Height         75 mm           Product Length/Depth         205 mm	Item Number	5551303
Material       Polypropylene Polyester (PBT)         Recycling Symbol "7", Miscellaneous Plastics       Yes         Complies with (EC) 1935/2004 on food contact materials¹       Yes         Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice       Yes         Complies with FDA Regulation CFR 21¹       Yes         Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with Halal and Kosher       Yes         FFAS, Phthalates and BPA intentionally added       No         Design Registration No.       EU 002189654-0001         Pat. Pending/Patent No.       EP2816930 validated in DE, FR, GB and DK. US9024712         LEP2816932 validated in DE, FR, GB and DK. US9024712       EP2816929 validated in DE, FR, GB and DK. US9037831         Box Quantity per Pallet (80 x 120 x 180-200 cm)       4800 Pcs         Quantity per Layer (Pallet)       240 Pcs.         Box Length       260 mm         Box Width       150 mm         Product Length/Depth       205 mm         Product Width       30 mm         Product Width       30 mm         Product Width       30 mm         Product Wigth       0.03 kg         Weight cardboard (Recycling Symbol "4") LDPE ≥ PCR 30%	Bristle stiffness	Soft
Recycling Symbol "7", Miscellaneous Plastics         Yes           Complies with (EC) 1935/2004 on food contact materials¹         Yes           Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Complies with FDA Regulation I CFR 21¹         Yes           Complies with W 2019 No. 704 on food contact materials         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with Halal and Kosher         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 002189654-0001           Pat. Pending/Patent No.         EP2816939 validated in DE, FR, GB and DK. US9307831           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         4800 Pcs.           Quantity Per Layer (Pallet)         240 Pcs.           Box Length         260 mm           Box Width         150 mm           Box Height         75 mm           Product Length/Depth         205 mm           Product Width         30 mm           Product Height         0.03 kg           Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%         0.0017 kg           Weight cardboard (Recycling symbol "20	Visible bristle length	57 mm
Complies with (EC) 1935/2004 on food contact materials¹       Yes         Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice       Yes         Complies with FDA Regulation (FR 21¹)       Yes         Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Design Registration No.       EU 002189654-0001         Pat. Pending/Patent No.       EP2816930 validated in DE, FR, GB and DK. US9204712         EP2816929 validated in DE, FR, GB and DK. US9357831       Descripation of the paterial of the pate	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice       Yes         Complies with FDA Regulation CFR 21¹       Yes         Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         FFAS, Phthalates and BPA intentionally added       No         Design Registration No.       EU 002189654-0001         Pat. Pending/Patent No.       EP2816930 validated in DE, FR, GB and DK. US93204712 EP28169329 validated in DE, FR, GB and DK. US9357831         Box Quantity       10 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       4800 Pcs         Quantity Per Layer (Pallet)       240 Pcs.         Box Length       260 mm         Box Width       150 mm         Box Height       75 mm         Product Length/Depth       205 mm         Product Width       30 mm         Product Height       0.03 kg         Weight cardboard (Recycling Symbol "4") LDPE ≥ PCR 30%       0.01 kg         Weight cardboard (Recycling symbol "20" PAP)       0.083 kg         Tare total       0.04 kg         Cubic metre       6.1E-05 M3         Max usage tem	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice         Complies with FDA Regulation CFR 21¹         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 002189654-0001           Pat. Pending/Patent No.         EP2816930 validated in DE, FR, GB and DK, US9304712 EP28169329 validated in DE, FR, GB and DK, US9304712 EP28169329 validated in DE, FR, GB and DK, US9357831           Box Quantity         10 Pcs.           Quantity Per Pallet (80 x 120 x 180-200 cm)         4800 Pcs           Quantity Per Layer (Pallet)         240 Pcs.           Box Length         260 mm           Box Width         150 mm           Box Height         75 mm           Product Length/Depth         205 mm           Product Width         30 mm           Product Height         0.03 kg           Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%         0.01 r kg           Weight cardboard (Recycling symbol "20" PAP)         0.038 kg           Tare total         0.04 kg           Cubic metre         6.1E-05 M3     <	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Design Registration No.       EU 002189654-0001         Pat. Pending/Patent No.       EP2816930 validated in DE, FR, GB and DIX. US9204712 EP2816929 validated in DE, FR, GB and DIX. US9357831         Box Quantity       10 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       4800 Pcs.         Quantity Per Layer (Pallet)       240 Pcs.         Box Length       260 mm         Box Width       150 mm         Box Height       75 mm         Product Length/Depth       205 mm         Product Width       30 mm         Product Height       0.03 kg         Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.017 kg         Weight cardboard (Recycling symbol "20" PAP)       0.0083 kg         Tare total       0.04 kg         Cubic metre       6.1E-05 M3         Max usage temperature (food contact)       80 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Design Registration No.       EU 002189654-0001         Pat. Pending/Patent No.       EP2816930 validated in DE, FR, GB and DK. US9204712         EP2816929 validated in DE, FR, GB and DK. US9357831       Box Quantity         Box Quantity per Pallet (80 x 120 x 180-200 cm)       4800 Pcs         Quantity Per Layer (Pallet)       240 Pcs.         Box Length       260 mm         Box Width       150 mm         Box Height       75 mm         Product Length/Depth       205 mm         Product Width       30 mm         Product Height       10 mm         Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.0017 kg         Weight cardboard (Recycling symbol "20" PAP)       0.0083 kg         Tare total       0.01 kg         Gross Weight       0.04 kg         Cubic metre       6.1E-05 M3         Max usage temperature (food contact)       80 °C	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Design Registration No.       EU 002189654-0001         Pat. Pending/Patent No.       EP2816930 validated in DE, FR, GB and DK. US9204712 EP2816929 validated in DE, FR, GB and DK. US9357831         Box Quantity       10 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       4800 Pcs         Quantity Per Layer (Pallet)       240 Pcs.         Box Length       260 mm         Box Width       150 mm         Box Height       75 mm         Product Length/Depth       205 mm         Product Width       30 mm         Product Height       10 mm         Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.0017 kg         Weight cardboard (Recycling symbol "20" PAP)       0.0083 kg         Tare total       0.01 kg         Gross Weight       0.04 kg         Cubic metre       6.1E-05 M3         Max usage temperature (food contact)       80 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 002189654-0001           Pat. Pending/Patent No.         EP2816930 validated in DE, FR, GB and DK, US9204712 EP2816929 validated in DE, FR, GB and DK, US9357831           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         4800 Pcs           Quantity Per Layer (Pallet)         240 Pcs.           Box Length         260 mm           Box Width         150 mm           Box Height         75 mm           Product Length/Depth         205 mm           Product Width         30 mm           Product Height         10 mm           Net Weight         0.03 kg           Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%         0.0017 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0083 kg           Tare total         0.01 kg           Gross Weight         0.04 kg           Cubic metre         6.1E-05 M3           Max usage temperature (food contact)         80 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 002189654-0001           Pat. Pending/Patent No.         EP2816930 validated in DE, FR, GB and DK. US9204712 EP28169329 validated in DE, FR, GB and DK. US9357831           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         4800 Pcs           Quantity Per Layer (Pallet)         240 Pcs.           Box Length         260 mm           Box Width         150 mm           Box Height         75 mm           Product Length/Depth         205 mm           Product Width         30 mm           Product Height         10 mm           Net Weight         0.03 kg           Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%         0.0017 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0083 kg           Tare total         0.01 kg           Gross Weight         0.04 kg           Cubic metre         6.1E-05 M3           Max usage temperature (food contact)         80 °C	Complies with California Proposition 65	Yes
Design Registration No.         EU 002189654-0001           Pat. Pending/Patent No.         EP2816930 validated in DE, FR, GB and DK. US9204712 EP2816929 validated in DE, FR, GB and DK. US9357831           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         4800 Pcs           Quantity Per Layer (Pallet)         240 Pcs.           Box Length         260 mm           Box Width         150 mm           Box Height         75 mm           Product Length/Depth         205 mm           Product Width         30 mm           Product Height         10 mm           Net Weight         0.03 kg           Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%         0.0017 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0083 kg           Tare total         0.01 kg           Gross Weight         0.04 kg           Cubic metre         6.1E-05 M3           Max usage temperature (food contact)         80 °C	Complies with Halal and Kosher	Yes
Pat. Pending/Patent No.       EP2816930 validated in DE, FR, GB and DK. US9204712 EP2816929 validated in DE, FR, GB and DK. US9357831         Box Quantity       10 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       4800 Pcs         Quantity Per Layer (Pallet)       240 Pcs.         Box Length       260 mm         Box Width       150 mm         Box Height       75 mm         Product Length/Depth       205 mm         Product Width       30 mm         Product Height       10 mm         Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.0017 kg         Weight cardboard (Recycling symbol "20" PAP)       0.0083 kg         Tare total       0.01 kg         Gross Weight       0.04 kg         Cubic metre       6.1E-05 M3         Max usage temperature (food contact)       80 °C	PFAS, Phthalates and BPA intentionally added	No
DE, FR, GB and DK. US9204712 EP2816929 validated in DE, FR, GB and DK. US92057831  Box Quantity 10 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm) 4800 Pcs  Quantity Per Layer (Pallet) 240 Pcs.  Box Length 260 mm  Box Width 150 mm  Box Height 75 mm  Product Length/Depth 205 mm  Product Width 30 mm  Product Width 30 mm  Product Height 10 mm  Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0017 kg  Weight cardboard (Recycling symbol "20" PAP) 0.0083 kg  Tare total 0.01 kg  Gross Weight 0.04 kg  Cubic metre 6.1E-05 M3  Max usage temperature (food contact) 80 °C	Design Registration No.	EU 002189654-0001
Quantity per Pallet (80 x 120 x 180-200 cm)4800 PcsQuantity Per Layer (Pallet)240 Pcs.Box Length260 mmBox Width150 mmBox Height75 mmProduct Length/Depth205 mmProduct Width30 mmProduct Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTare total0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Pat. Pending/Patent No.	DE, FR, GB and DK. US9204712 EP2816929 validated in DE, FR, GB and DK.
Quantity Per Layer (Pallet)240 Pcs.Box Length260 mmBox Width150 mmBox Height75 mmProduct Length/Depth205 mmProduct Width30 mmProduct Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTare total0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Box Quantity	10 Pcs.
Box Length260 mmBox Width150 mmBox Height75 mmProduct Length/Depth205 mmProduct Width30 mmProduct Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTare total0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	4800 Pcs
Box Width150 mmBox Height75 mmProduct Length/Depth205 mmProduct Width30 mmProduct Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTare total0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Quantity Per Layer (Pallet)	240 Pcs.
Box Height75 mmProduct Length/Depth205 mmProduct Width30 mmProduct Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTare total0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Box Length	260 mm
Product Length/Depth205 mmProduct Width30 mmProduct Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTare total0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Box Width	150 mm
Product Width30 mmProduct Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTare total0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Box Height	75 mm
Product Height10 mmNet Weight0.03 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTare total0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Product Length/Depth	205 mm
Net Weight0.03 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTare total0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Product Width	30 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0017 kgWeight cardboard (Recycling symbol "20" PAP)0.0083 kgTare total0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Product Height	10 mm
Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  Cubic metre  Max usage temperature (food contact)  0.0083 kg  0.01 kg  0.04 kg  6.1E-05 M3	Net Weight	0.03 kg
Tare total0.01 kgGross Weight0.04 kgCubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0017 kg
Gross Weight 0.04 kg Cubic metre 6.1E-05 M3 Max usage temperature (food contact) 80 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0083 kg
Cubic metre6.1E-05 M3Max usage temperature (food contact)80 °C	Tare total	0.01 kg
Max usage temperature (food contact) 80 °C	Gross Weight	0.04 kg
	Cubic metre	6.1E-05 M3
Max usage temperature (non food contact) 100 °C	Max usage temperature (food contact)	80 °C
	Max usage temperature (non food contact)	100 °C

Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max. drying temperature	100 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration	10.5 pH
Min. pH-value in usage concentration	2 pH
GTIN-13 Number	5705022009219
GTIN-14 Number (Box quantity)	15705028009296
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.