## Hygienic Hand Squeegee w/replacement cassette, 250 mm, Blue







Designed for removing water and waste while maintaining high levels of hygiene, this squeegee comes with a replacement cassette that is easily removed for cleaning or replacement (Series 7731 replacement blades).

## **Technical Data**

Recycling Symbol "7", Miscellaneous Plastics Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Complies with KEACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated No. BPACE PROMORE AND STANDARD STAND	Item Number	77113
Recycling Symbol "7", Miscellaneous Plastics         Yes           Complies with (EC) 1935/2004 on food contact materials¹         Yes           Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Complies with FDA Regulation 1CFR 21¹         Yes           Complies with IVK 2019 No. 704 on food contact materials         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Pat. Pending/Patent No.         EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9           Box Quantity         20 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         960 Pcs           Quantity Per Layer (Pallet)         120 Pcs.           Box Length         515 mm           Box Width         295 mm           Box Height         210 mm           Product Length/Depth         250 mm           Product Width         70 mm           Product Height         95 mm           Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%         0.0043 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0173 kg           Gross	Connection	Threaded
Complies with (EC) 1935/2004 on food contact materials¹         Yes           Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Complies with FDA Regulation I CFR 21¹         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Pat. Pending/Patent No.         EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9           Box Quantity         20 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         960 Pcs           Quantity Per Layer (Pallet)         120 Pcs.           Box Length         515 mm           Box Width         295 mm           Box Height         210 mm           Product Length/Depth         250 mm           Product Width         70 mm           Product Width         70 mm           Product Height         95 mm           Net Weight cardboard (Recycling symbol "4") LDPE ≥ PCR 30%         0.013 kg           Weight cardboard (Recycling symbol "20" PAP)         0.013 kg           Gross Weight         0	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice       Yes Manufacturing Practice         Complies with FDA Regulation (FR 21¹)       Yes         Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Pat. Pending/Patent No.       EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9         Box Quantity       20 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       960 Pcs         Quantity Per Layer (Pallet)       120 Pcs.         Box Length       515 mm         Box Width       295 mm         Box Height       210 mm         Product Length/Depth       250 mm         Product Width       70 mm         Product Height       95 mm         Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.0043 kg         Weight cardboard (Recycling symbol "20" PAP)       0.013 kg         Tare total       0.0173 kg         Gross Weight       0.24 kg         Cubic metre       0.001663 M3         Recommended sterilisation temperature (Autoclave)	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice         Complies with FDA RegulationI CFR 21¹       Yes         Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Pat. Pending/Patent No.       EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9         Box Quantity       20 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       960 Pcs         Quantity Per Layer (Pallet)       120 Pcs.         Box Length       515 mm         Box Width       295 mm         Box Height       210 mm         Product Length/Depth       250 mm         Product Width       70 mm         Product Height       95 mm         Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.043 kg         Weight cardboard (Recycling symbol "20" PAP)       0.013 kg         Tare total       0.0173 kg         Gross Weight       0.24 kg         Cubic metre       0.001663 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max usage temperature (food c	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Pat. Pending/Patent No.       EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9         Box Quantity       20 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       960 Pcs         Quantity Per Layer (Pallet)       120 Pcs.         Box Length       515 mm         Box Width       295 mm         Box Width       295 mm         Product Length/Depth       250 mm         Product Width       70 mm         Product Weight       95 mm         Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.043 kg         Weight cardboard (Recycling symbol "20" PAP)       0.013 kg         Tare total       0.0173 kg         Gross Weight       0.24 kg         Cubic metre       0.001663 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (non food contact)       50 °C	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Pat. Pending/Patent No.       EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9         Box Quantity       20 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       960 Pcs         Quantity Per Layer (Pallet)       120 Pcs.         Box Length       515 mm         Box Width       295 mm         Box Height       210 mm         Product Length/Depth       250 mm         Product Width       70 mm         Product Weight       95 mm         Net Weight       0.22 kg         Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.0043 kg         Weight cardboard (Recycling symbol "20" PAP)       0.013 kg         Tare total       0.0173 kg         Gross Weight       0.24 kg         Cubic metre       0.001663 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (non food contact)       100 °C         Min. usage temperature (non food contact)<	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Pat. Pending/Patent No.       EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9         Box Quantity       20 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       960 Pcs         Quantity Per Layer (Pallet)       120 Pcs.         Box Length       515 mm         Box Width       295 mm         Box Height       210 mm         Product Length/Depth       250 mm         Product Width       70 mm         Product Height       95 mm         Net Weight       0.22 kg         Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.043 kg         Weight cardboard (Recycling symbol "20" PAP)       0.013 kg         Tare total       0.0173 kg         Gross Weight       0.24 kg         Cubic metre       0.001663 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (non food contact)       100 °C         Min. usage temperature (non food contact)       100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Pat. Pending/Patent No.       EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9         Box Quantity       20 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       960 Pcs         Quantity Per Layer (Pallet)       120 Pcs.         Box Length       515 mm         Box Width       295 mm         Box Height       210 mm         Product Length/Depth       250 mm         Product Width       70 mm         Product Height       95 mm         Net Weight       0.22 kg         Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.043 kg         Weight cardboard (Recycling symbol "20" PAP)       0.013 kg         Tare total       0.0173 kg         Gross Weight       0.24 kg         Cubic metre       0.001663 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (food contact)       50 °C         Min. usage temperature (non food contact)       100 °C         Min. usage temperature (autoclave)       110 °C         Min. usage temperature (non food contact) <t< td=""><td>Complies with REACH Regulation (EC) No. 1907/2006</td><td>Yes</td></t<>	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No.  Pat. Pending/Patent No.  Box Quantity  Cup Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  Box Length  Box Width  Box Width  Box Width  Box Height  Product Length/Depth  Product Length/Depth  Product Width  Product Height  No  Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%  Weight cardboard (Recycling symbol "20" PAP)  Tare total  Cubic metre  O.001663 M3  Recommended sterillisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (non food contact)  Min. usage temperature³  Pose Cup Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048480.D  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  120 Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  120 Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  120 Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  120 Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  120 Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  120 Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  120 Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  120 Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  120 Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  120 Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  120 Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008049  120 Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 60200804  120 Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 60200804  120 Pcs.  EP2227129 validated in DK, DE, ER and GB. DE 60200804  120 Pcs.  EP2227129 validated in DK, DE, ER and GB. DE 60200804  120 Pcs.  EP2227129 validated in DK, DE 60200804  120 Pcs.  EP222712	Complies with California Proposition 65	Yes
Pat. Pending/Patent No.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  Box Quantity  20 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  960 Pcs  Quantity Per Layer (Pallet)  120 Pcs.  Box Length  515 mm  Box Width  295 mm  Box Height  210 mm  Product Length/Depth  250 mm  Product Width  70 mm  Product Width  70 mm  Product Height  95 mm  Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%  Weight cardboard (Recycling symbol "20" PAP)  7are total  Cubic metre  0.001663 M3  Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Min. usage temperature³  -20 °C  Min. usage temperature³  -20 °C	Complies with Halal and Kosher	Yes
Box Quantity  20 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  960 Pcs  Quantity Per Layer (Pallet)  120 Pcs.  Box Length  515 mm  Box Width  295 mm  Box Height  210 mm  Product Length/Depth  250 mm  Product Width  70 mm  Product Height  95 mm  Net Weight  0.22 kg  Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%  Weight cardboard (Recycling symbol "20" PAP)  0.013 kg  Gross Weight  Cubic metre  0.001663 M3  Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperatures  -20 °C  Min. usage temperatures  120 Pcs.	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)960 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length515 mmBox Width295 mmBox Height210 mmProduct Length/Depth250 mmProduct Width70 mmProduct Height95 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTare total0.0173 kgGross Weight0.24 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Pat. Pending/Patent No.	DK, DE, FR and GB. DE
Quantity Per Layer (Pallet)120 Pcs.Box Length515 mmBox Width295 mmBox Height210 mmProduct Length/Depth250 mmProduct Width70 mmProduct Height95 mmNet Weight weight (Recycling Symbol "4") LDPE ≥ PCR 30%0.0043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTare total0.0173 kgGross Weight0.24 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Quantity	20 Pcs.
Box Length515 mmBox Width295 mmBox Height210 mmProduct Length/Depth250 mmProduct Width70 mmProduct Height95 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTare total0.0173 kgGross Weight0.24 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	960 Pcs
Box Width295 mmBox Height210 mmProduct Length/Depth250 mmProduct Width70 mmProduct Height95 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTare total0.0173 kgGross Weight0.24 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Quantity Per Layer (Pallet)	120 Pcs.
Box Height210 mmProduct Length/Depth250 mmProduct Width70 mmProduct Height95 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTare total0.0173 kgGross Weight0.24 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Length	515 mm
Product Length/Depth       250 mm         Product Width       70 mm         Product Height       95 mm         Net Weight       0.22 kg         Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.0043 kg         Weight cardboard (Recycling symbol "20" PAP)       0.013 kg         Tare total       0.0173 kg         Gross Weight       0.24 kg         Cubic metre       0.001663 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (food contact)       50 °C         Max usage temperature (non food contact)       100 °C         Min. usage temperature³       -20 °C	Box Width	295 mm
Product Width70 mmProduct Height95 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTare total0.0173 kgGross Weight0.24 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Height	210 mm
Product Height95 mmNet Weight0.22 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTare total0.0173 kgGross Weight0.24 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Length/Depth	250 mm
Net Weight0.22 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTare total0.0173 kgGross Weight0.24 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Width	70 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.0043 kg         Weight cardboard (Recycling symbol "20" PAP)       0.013 kg         Tare total       0.0173 kg         Gross Weight       0.24 kg         Cubic metre       0.001663 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (food contact)       50 °C         Max usage temperature (non food contact)       100 °C         Min. usage temperature³       -20 °C	Product Height	95 mm
Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  Cubic metre  0.001663 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C	Net Weight	0.22 kg
Tare total 0.0173 kg  Gross Weight 0.24 kg  Cubic metre 0.001663 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 50 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature³ -20 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0043 kg
Gross Weight  Cubic metre  0.001663 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.013 kg
Cubic metre 0.001663 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 50 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature³ -20 °C	Tare total	0.0173 kg
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  121 °C  93 °C  100 °C  100 °C	Gross Weight	0.24 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.001663 M3
Max usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)  Min. usage temperature³  -20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> -20 °C	Max usage temperature (food contact)	50 °C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature 120 °C	Min. usage temperature <sup>3</sup>	-20 °C
	Max. drying temperature	120 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020771132
GTIN-14 Number (Box quantity)	15705020771139
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.