Replacement Cassette, Hygienic, 400 mm, , Blue







Replacement squeegee blade for Hygienic fixed and revolving neck squeegees (Series 7712x and 7722x).

Technical Data

Material Polypropylene TPE Rubber Recycling Symbol "7", Miscellaneous Plastics Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 400 mm Product Length/Depth 400 mm Product Height 45 mm Not Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.012 r kg Gross Weight	Item Number	77323
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 400 mm Product Width 30 mm Product Height 45 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Gross Weight 0.14 kg<	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 400 mm Product Width 30 mm Product Height 45 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.003 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.003 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA Regulation (CFR 21¹) Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 400 mm Product Width 30 mm Product Height 45 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight bag (Recycling symbol "20" PAP) 0.012 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 400 mm Product Width 30 mm Product Wight 45 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 50 °C M		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 400 mm Product Width 30 mm Product Height 45 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 50 °C Min. usage temperature	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 400 mm Product Width 30 mm Product Height 45 mm Net Weight (Recycling Symbol "4") LDPE ≥ PCR 30% 0.063 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 50 °C Max usage temperature (non food contact) 50 °C Min. usage temperature 100 °C Max. drying temperature <td>Complies with UK 2019 No. 704 on food contact materials</td> <td>Yes</td>	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 400 mm Product Width 30 mm Product Height 45 mm Net Weight 0.12 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 50 °C Max. usage temperature (mon food contact) 100 °C Min. usage temperature 120 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No. Pat. Pending/Patent No. Berezez7129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 400 mm Product Width 30 mm Product Weight 45 mm Net Weight 0.12 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (no food contact) Max. usage temperature² -30 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Max. drying temperature	Complies with California Proposition 65	Yes
Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 400 mm Product Width 30 mm Product Width 45 mm Net Weight 45 mm Net Weight 0.12 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (not food contact) 100 °C Min. usage temperature² -30 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Max. drying temperature	Complies with Halal and Kosher	Yes
Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 400 mm Product Width 30 mm Product Height 45 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 120 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 400 mm Product Width 30 mm Product Height 45 mm Net Weight 0.12 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -30 °C Max. drying temperature 120 °C	Pat. Pending/Patent No.	DK, DE, FR and GB. DE
Quantity Per Layer (Pallet)120 Pcs.Box Length415 mmBox Width295 mmBox Height210 mmProduct Length/Depth400 mmProduct Width30 mmProduct Height45 mmNet Weight weight (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0127 kgTare total0.019 kgGross Weight0.14 kgCubic metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Box Quantity	20 Pcs.
Box Length Box Width 295 mm Box Height 210 mm Product Length/Depth 400 mm Product Width 30 mm Product Height 45 mm Net Weight 0.12 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 7 are total 7 coubic metre 0.0019 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature	Quantity per Pallet (80 x 120 x 180-200 cm)	960 Pcs
Box Width295 mmBox Height210 mmProduct Length/Depth400 mmProduct Width30 mmProduct Height45 mmNet Weight0.12 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0127 kgTare total0.019 kgGross Weight0.14 kgCubic metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Quantity Per Layer (Pallet)	120 Pcs.
Box Height210 mmProduct Length/Depth400 mmProduct Width30 mmProduct Height45 mmNet Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0127 kgTare total0.019 kgGross Weight0.14 kgCubic metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Box Length	415 mm
Product Length/Depth400 mmProduct Width30 mmProduct Height45 mmNet Weight0.12 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0127 kgTare total0.019 kgGross Weight0.14 kgCubic metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Box Width	295 mm
Product Width30 mmProduct Height45 mmNet Weight0.12 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0127 kgTare total0.019 kgGross Weight0.14 kgCubic metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Box Height	210 mm
Product Height45 mmNet Weight0.12 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0127 kgTare total0.019 kgGross Weight0.14 kgCubic metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Product Length/Depth	400 mm
Net Weight0.12 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0127 kgTare total0.019 kgGross Weight0.14 kgCubic metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Product Width	30 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -30 °C Max. drying temperature 120 °C	Product Height	45 mm
Weight cardboard (Recycling symbol "20" PAP)0.0127 kgTare total0.019 kgGross Weight0.14 kgCubic metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Net Weight	0.12 kg
Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0063 kg
Gross Weight Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0127 kg
Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -30 °C Max. drying temperature 120 °C	Tare total	0.019 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -30 °C Max. drying temperature	Gross Weight	0.14 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Cubic metre	0.00054 M3
Max usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature -30 °C Max. drying temperature 120 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -30 °C Max. drying temperature 120 °C	Max usage temperature (food contact)	50 °C
Max. drying temperature 120 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-30 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020773235
GTIN-14 Number (Box quantity)	15705020773232
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.