

77643

# Revolving Neck Floor squeegee w/Replacement Cassette, 600 mm, Blue



Ideal for removing water and food debris from all types of flooring, this double-bladed cell rubber squeegee can be used with any Vikan handle. The cassette can be removed easily for cleaning or replacement (Series 77745 or 77749 for replacement blades).

# Technical Data

Item Number	77643
Connection	Threaded
Material	Polypropylene Cellular rubber
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	No
Complies with FDA Regulation I CFR 21 <sup>1</sup>	No
Complies with UK 2019 No. 704 on food contact materials	No
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	No
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Pat. Pending/Patent No.	EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	320 Pcs
Quantity Per Layer (Pallet)	40 Pcs.
Box Length	610 mm
Box Width	290 mm
Box Height	200 mm
Product Length/Depth	600 mm
Product Width	100 mm
Product Height	75 mm
Net Weight	0.38 kg
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.009 kg
Weight cardboard (Recycling symbol "20" PAP)	0.0315 kg
Tare total	0.0405 kg
Gross Weight	0.42 kg
Cubic metre	0.0045 M3
Max. cleaning temperature (Dishwasher)	90 °C
Max usage temperature (food contact)	80 °C
Max usage temperature (non food contact)	80 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature	70 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020776434
GTIN-14 Number (Box quantity)	15705020776431

**Customs Tariff No.**

96039099

**Country of origin**

Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.